

Pressure-induced superconductivity in europium metal

M. Debessai, T. Matsuoka*, J. J. Hamlin**, and J. S. Schilling

Department of Physics, Washington University, CB 1105,

One Brookings Drive, St. Louis, Missouri 63130, USA

K. Shimizu

KYOKUGEN, Center for Quantum Science and Technology under Extreme Conditions,

Osaka University, 1-3 Machikaneyama, Toyonaka, Osaka 560-8531, Japan

(Dated: January 12, 2009)

Abstract

Divalent Eu ($4f^7$, $J = 7/2$) possesses a strong local magnetic moment which suppresses superconductivity. Under sufficient pressure it is anticipated that Eu will become trivalent ($4f^6$, $J = 0$) and a weak Van Vleck paramagnet, thus opening the door for a possible superconducting state, in analogy with Am metal ($5f^6$, $J = 0$) which superconducts at 0.79 K. We present ac susceptibility and electrical resistivity measurements on Eu metal for temperatures 1.5 - 297 K to pressures as high as 142 GPa. At approximately 80 GPa Eu becomes superconducting at $T_c \simeq 1.8$ K; T_c increases linearly with pressure to 2.75 K at 142 GPa. Eu metal thus becomes the 53rd known elemental superconductor in the periodic table.

*Permanent address: KYOKUGEN, Center for Quantum Science and Technology under Extreme Conditions, Osaka University, 1-3 Machikaneyama, Toyonaka, Osaka 560-8531, Japan

**Present address: Department of Physics and Institute for Pure and Applied Physical Sciences, University of California, San Diego, La Jolla, CA 92093

Bernd Matthias once mused that all nonmagnetic metals might become superconducting, if only they be cooled to a sufficiently low temperature [1]. Of the 92 naturally occurring elements in the periodic table, there are 30 known elemental superconductors at ambient pressure and 22 more that become superconducting under high pressure [2]. An intriguing question is whether the remaining 40 elemental solids become superconducting in some temperature/pressure range. One could, in fact, pose this same question for all solids.

Across the entire lanthanide series, only its first member, La, superconducts at ambient pressure. The reasons for this appear to be twofold: (1) the local-moment magnetism in all lanthanides except La, Yb, and Lu leads to strong pair-breaking effects, and (2) as for non-superconducting Sc or Y, the relatively weak d -character of the conduction electrons for heavy lanthanides like Lu results in an only diminutive pairing interaction. Since compressing the lattice enhances the d -electron concentration, it is not surprising that Sc, Y, and Lu all become superconducting under pressure [3]; indeed, the vast majority of transition metals superconduct.

In contrast, the pressure-induced superconductivity observed for Ce metal above 2 GPa arises from the suppression of its magnetism [4]. The fact that all lanthanides other than La, Ce, and Lu do not superconduct under pressure, in spite of their enhanced d -electron concentration, is a tribute to the stability of their strong local-moment magnetism. At sufficiently high pressures, however, one would anticipate that the lanthanide valence should increase as electrons are successively squeezed out of the 4f shell into the s, p, d -conduction band. The first two lanthanide metals to do this would likely be Eu and Yb since both are divalent at ambient pressure, in contrast to all others which are trivalent.

Whereas trivalent Yb would exhibit a strong local magnetic moment by virtue of its $4f^{13}$ configuration with $J = L + S = 3 + \frac{1}{2} = 7/2$, trivalent Eu would be left with a $4f^6$ electron shell where $S = L = 3$ and thus $J = L - S = 0$. Under sufficient pressure, therefore, the divalent antiferromagnet Eu would be expected to become a trivalent weak Van Vleck paramagnet and a good candidate for superconductivity [5], perhaps at temperatures as high as 10 - 15 K as for the other trivalent rare-earth superconductors La and Lu [3]. Support for this possibility was given many years ago by Matthias *et al.* [6] who pointed out that the Laves-phase compound EuIr_2 , where Eu is believed to be trivalent, does indeed superconduct below 3 K at ambient pressure, as do the analogous nonmagnetic trivalent-ion systems ScIr_2 , YIr_2 , LaIr_2 , and LuIr_2 . We note that the only other known elemental metal with Van Vleck

paramagnetism, trivalent Am with a $5f^6$ electron shell, does indeed superconduct at $T_c \simeq 0.79$ K at ambient pressure, T_c rising to 2.2 K at 6 GPa [7].

Estimates of the pressure necessary for the full divalent-to-trivalent transition in Eu vary from 35 GPa by Rosengren and Johansson [5] to 71 GPa by Min *et al.* [8]. X-ray diffraction studies to 30 GPa at room temperature reveal a bcc to hcp transition in Eu near 12.5 GPa with a new closed-packed Eu-III phase appearing above 18 GPa [9]. Room temperature Mössbauer-effect [10, 11] and L_{III} absorption edge [12] studies indicate that Eu's valence ν increases rapidly with pressure from 2.0 to nearly 2.5 at 12 GPa; however, the latter measurements reveal that ν saturates at higher pressures, reaching only $\nu \approx 2.65$ at 34 GPa. Significantly higher pressures are apparently necessary to bring Eu into its fully trivalent state. In 1981 Bundy and Dunn [13] searched for a superconducting transition in electrical resistivity measurements on Eu metal to pressures as high as 40 GPa; unfortunately, no superconductivity was observed above 2.3 K, the lowest temperature of their measurement.

Using a diamond-anvil cell (DAC) we have carried out electrical resistivity and ac susceptibility studies above 1.5 K on pure Eu metal to pressures as high as 142 GPa. Above 70 - 80 GPa a superconducting transition appears near 1.7 K which increases slowly with pressure. Eu thus becomes the 53rd known elemental superconductor.

In the present electrical resistivity and ac susceptibility experiments, a membrane-driven DAC [14] was used with 1/6-carat, type Ia diamond anvils with 0.18 mm culets beveled at 7° out to 0.35 mm. Disc-shaped metal gaskets 0.25 mm thick and 3 mm diameter made of Re or BeCu-alloy were chosen for the resistivity or ac susceptibility measurements, respectively. The gaskets were preindented to 25 - 30 μm and a 90 μm diameter hole was electro-spark drilled through the center of the gasket. The high-purity Eu sample (99.98 % metals basis), obtained from the Materials Preparation Center of the Ames Laboratory [15], was packed into the gasket hole together with several tiny ruby spheres [16] to allow the determination of the pressure *in situ* at 1.6 K from the R_1 ruby fluorescence line with resolution 0.2 GPa using the revised pressure scale of Chijioke *et al* [17]. The three highest pressures attained in the present experiment (127, 135, and 142 GPa) were determined from the shift in the diamond vibron [18] at the sample center since the ruby fluorescence could no longer be resolved. No pressure medium was used. Resistivity and susceptibility data obtained while warming were preferred since they contain less noise than cooling data. For measurements to ambient temperature the warming rate was typically 1-2 K/min, whereas in determinations

of the superconducting transition temperature the rate was slowed to ~ 1 K/h. Further details of the DAC techniques used in the electrical resistivity [19] and ac susceptibility [3, 14, 20] measurements are given elsewhere.

The electrical resistance of Eu at 297 K was found to increase monotonically with pressure from 0.7Ω at 10 GPa to 8Ω at 27 GPa. As the pressure was increased further, a Pt lead inside the cell failed, forcing us to use an adjacent Pt lead as a combined current/voltage probe (quasi four-point measurement); we estimate the contribution from this short section of Pt lead to be only 0.1Ω ; however, the contact resistance between Pt lead and Eu sample may be much larger. As seen in Fig. 1, the resistance continues to increase significantly with pressure to the highest pressure reached, 91 GPa, not solely at 297 K but over the entire experimental temperature range down to 1.5 K. That this resistance increase is at least partially intrinsic, and not merely due to changes in sample dimension, defect concentration, or contact resistance, is evidenced by the fact that $R(T)$ *decreases* appreciably as the pressure is reduced from 91 to 62 GPa. An increase in the resistivity of Eu with pressure was observed in earlier studies to pressures as high as 40 GPa [13, 21, 22, 23]. Whether or not the bend in $R(T)$ near 100 K in Fig. 1 is indicative of a magnetic or structural phase transition can only be given a clear answer through future temperature-dependent x-ray diffraction or Mössbauer effect studies to extreme pressures.

Particularly interesting are the data in Fig. 1 at 73, 81, and 91 GPa where a sharp decrease in the resistance is seen upon cooling below 2 K (the inset shows data on an expanded scale), hinting at a superconducting transition which increases slowly with pressure. That the resistance does not fall to 0Ω below the superconducting transition is not uncommon [19] and may arise from the Pt lead and its contact resistance to the Eu sample, as well as from possible microcracks in the strongly plastically deformed sample through uniaxial stresses. However, it is well known that the electrical resistivity is a sensitive technique for detecting even trace concentrations of a superconducting phase, but is poorly suited to establish whether or not a material is a bulk superconductor. To this end the magnetic susceptibility is a far superior diagnostic tool.

In Fig. 2 it is seen that at 76 GPa pressure the ac susceptibility shows no evidence for superconductivity down to nearly 1.5 K. However, at 84 GPa a sharp drop $\Delta\chi'$ in the ac susceptibility appears at 1.78 K (transition midpoint) which shifts slowly to higher temperatures with increasing pressure, reaching 2.75 K at the highest pressure measured

(142 GPa) [24]. Using the analysis discussed in detail in an earlier publication [3], the observed $\Delta\chi' \approx 20$ nV jump at T_c is consistent with perfect diamagnetism, the hallmark of a superconductor; in fact, in previous experiments on superconducting Y, Sc, and Lu samples under nearly identical conditions we also find $\Delta\chi' \approx 15 - 20$ nV [3]. In one experiment to pressures as high as 94 GPa, the Eu sample became strongly oxidized through inadvertent exposure to air; no diamagnetic transition was observed above 1.5 K, thus confirming that the diamagnetic jump $\Delta\chi'(T)$ seen in Fig. 2 does, in fact, originate from the Eu sample and not, for example, from the CuBe gasket [25].

In Fig. 3 the values of T_c from the ac susceptibility (transition midpoint) and electrical resistivity (low-temperature onset) are plotted versus pressure; from the former studies T_c is seen to increase linearly with pressure at the very moderate rate of +18 mK/GPa. This should be compared to the value of +360 mK/GPa for metallic Y [26] or +900 mK/GPa for pure Li [27].

AC susceptibility and electrical resistivity measurements were also carried out under an applied dc magnetic field of 500 Oe. Within the experimental resolution of 30 mK, no shift in the superconducting transition could be resolved, implying that $|dT_c/dH| \leq 0.06$ mK/Oe or $|T_c^{-1}dT_c/dH| \leq 3 \times 10^{-5}$ Oe $^{-1}$. This upper limit is comparable to the relative shift in T_c measured in experiment for the actinide metal Am (5×10^{-5} Oe $^{-1}$) [7] as well as for the d -electron metals Sc (1.6×10^{-5} Oe $^{-1}$), Y (5×10^{-5} Oe $^{-1}$), and Lu (6×10^{-5} Oe $^{-1}$) [3]. The critical field H_c for superconducting Eu is thus quite large so that experiments to considerably higher magnetic fields are required for its determination.

As for all trivalent rare-earth metals La through Lu, the conduction band of the trivalent transition metals Sc and Y has s, p, d -electron character where the d -electron concentration increases with pressure. It is thus not surprising that under pressure Y fits nicely into the crystal-structure sequence observed across the rare-earth series; Sc appears to follow a different structure sequence, perhaps because it is much lighter [28]. We note that under extreme pressure the values of the superconducting transition temperature for Sc, Y, La, and Lu all lie in the range 10 - 20 K. One may thus ask why T_c for Eu remains at temperatures below 3 K, even at extreme pressures well over 1 Mbar. One possibility for this result is that the crystal structure of Eu in this pressure range is less favorable for superconductivity. A second possibility is that Eu at 142 GPa is indeed completely trivalent, implying a $4f^6$ configuration, but that the quantum mechanical mixing between the nonmagnetic $J = 0$

ground state and the low-lying magnetic $J = 1$ excited state, which is responsible for the Van Vleck paramagnetism, weakens the superconducting pairing interaction and lowers T_c . A third possibility is that for $P \leq 142$ GPa Eu metal is not fully trivalent, but rather intermediate valent and that the fluctuations between magnetic $4f^7$ and nonmagnetic $4f^6$ ground state configurations either weaken the superconductivity or, alternatively, even help mediate it as has been suggested for a number of Ce compounds [29].

In summary, Eu metal, a divalent antiferromagnet at ambient pressure, is found to become superconducting near 1.8 K for pressures above 80 GPa, where T_c increases with pressure at the very moderate rate of +18 mK/GPa to 2.75 K at 142 GPa. Whether the superconductivity occurs in a trivalent or mixed-valent state of Eu is not yet clear. To more fully explore the fascinating interplay of superconductivity, magnetism, and valence transition in Eu under pressure, future measurements should examine both the pressure-dependent magnetic order and superconductivity of Eu to multi-Mbar pressures, including the direct determination of Eu's valence through L_{III} absorption edge and/or Mössbauer-effect studies.

Acknowledgments. Thanks are due to R. W. McCallum and K. W. Dennis of the Materials Preparation Center, Ames Laboratory, for providing the high-purity Eu sample. The authors thank V. K. Vohra for recommending the specifications of the beveled diamond anvils used in these experiments. Helpful suggestions from M. M. Abd-Elmeguid, A. K. Gangopadhyay, B. Johansson, J. A. Mydosh, and F. Steglich are gratefully acknowledged. The research visit of one of the authors (T. M.) at Washington University was made possible by the Osaka University short-term student dispatch program. The authors gratefully acknowledge research support by the National Science Foundation through Grant No. DMR-0703896.

-
- [1] B. T. Matthias (private communication)
 - [2] For a recent version of the "Superconducting Table of Superconductivity", see Ref. [3].
 - [3] M. Debessai *et al.*, Phys. Rev. B **78**, 064519 (2008).
 - [4] C. Probst and J. Wittig, in: *Handbook on the Physics and Chemistry of Rare Earths*, eds. K. A. Gschneidner, Jr., L. Eyring, Vol. 1 Ch. 11 (1978).
 - [5] B. Johansson and A. Rosengren, Phys. Rev. B **11**, 2836 (1975); A. Rosengren and B. Johansson, Phys. Rev. B **13**, 1468 (1976).
 - [6] B. T. Matthias *et al.*, Phys. Lett. **72A**, 257 (1979).
 - [7] J.-C. Griveau *et al.*, Phys. Rev. Lett. **94**, 097002 (2005).
 - [8] B. I. Min *et al.*, J. Magn. Magn. Mater. **59**, 277 (1986).
 - [9] K. Takemura and K. Syassen, J. Phys. F **15**, 543 (1985).
 - [10] J. N. Farrell and R. D. Taylor, Phys. Rev. Lett. **58**, 2478 (1987).
 - [11] G. Wortmann *et al.*, High Pres. Res. **28**, 545 (2008).
 - [12] J. Röhler, Physica B **144**, 27 (1986).
 - [13] F. P. Bundy and K. J. Dunn, Phys. Rev. B **24**, 4136 (1981).
 - [14] J. S. Schilling, in *High Pressure in Science and Technology*, eds. C. Homan, R. K. MacCrone, E. Whalley, MRS Symp. Proc. No. 22 (North-Holland, Amsterdam, NY, 1984), p. 79.
 - [15] Materials Preparation Center, Ames Laboratory US-DOE, Ames, Iowa (www.mpc.ameslab.gov).
 - [16] J. C. Chervin *et al.*, High Pres. Res. **21**, 305 (2001).
 - [17] A. D. Chijioke *et al.*, J. Appl. Phys. **98**, 114905 (2005).
 - [18] Y. Akahama and H. Kawamura, J. Appl. Phys. **100**, 043516 (2006).
 - [19] K. Shimizu *et al.*, J. Phys. Soc. Jpn. **74**, 1345 (2005).
 - [20] T. Matsuoka *et al.*, Phys. Rev. Lett. **100**, 197003 (2008).
 - [21] R. A. Stager and H. G. Drickamer, Phys. Rev. **133**, 830 (1964).
 - [22] D. B. McWhan *et al.*, Phys. Rev. **143**, 385 (1966).
 - [23] R. N. Shelton and A. R. Moodenbaugh, Phys. Rev. B **24**, 2863 (1981).
 - [24] As discussed in Ref.[3], a temperature-dependent background signal has been subtracted from the susceptibility data in Fig. 2. The inset shows the raw data at 118 GPa before this back-

ground subtraction. The fact that superconductivity above 1.5 K appears at a somewhat lower pressure in resistivity than in magnetic susceptibility measurements likely arises from uncertainties in the estimated pressure at the sample due to pressure gradients and differences in the criteria for determining the value of T_c .

- [25] In all resistivity and ac susceptibility experiments on Eu, a 25 μm -thick Zr foil was placed under the table of the diamond anvil. To verify directly that the observed diamagnetic jump $\Delta\chi'$ near 2 K does not originate from superconductivity in the Zr foil, this foil was removed in a test experiment. At 84 GPa the strong 20 nV diamagnetic transition from Eu appeared, as usual, at ~ 1.7 K, where none had been observed above 1.5 K at 75 GPa; in this configuration the Eu sample was then removed, whereupon the diamagnetic transition disappeared above 1.3 K to pressures as high as 94 GPa.
- [26] J. J. Hamlin *et al.*, Physica C **451**, 82 (2007).
- [27] S. Deemyad and J. S. Schilling, Phys. Rev. Lett. **91**, 167001 (2003).
- [28] Y. Akahama *et al.*, Phys. Rev. Lett. **94**, 195503 (2005).
- [29] H. Q. Yuan *et al.*, Science **302**, 2104 (2003).

Figure Captions

Fig. 1. (color online) Quasi four-point electrical resistance measurements versus temperature for Eu metal at 37, 48, 61, 73, 81, 91, and 62 GPa, taken in that order. Inset shows data near 2 K for 73, 81, and 91 GPa on a highly expanded scale. T_c is determined from the superconducting onset as the temperature is increased (see arrows).

Fig. 2. (color online) Real part of the ac susceptibility versus temperature for Eu metal as pressure is increased from 76 to 142 GPa. The superconducting transition appears at 84 GPa and shifts slowly under pressure to higher temperatures. T_c is determined from the temperature at the transition midpoint. The inset shows raw $\chi'(T)$ data at 118 GPa (see Ref. [24]).

Fig. 3. (color online) Superconducting transition temperature of Eu metal versus pressure from electrical resistivity (\oplus) and ac susceptibility (\blacksquare) data in Figs. 1 and 2, respectively. Vertical error bars give 20% - 80% transition width. Solid straight line is guide to the eye.





